App. No. 10/675819 Office Action Dated September 21, 2004 Amd. Dated January 21, 2005

Amendments to the Claims:

This listing of claims will replace all prior versions and listing of claims in the application.

Claims 1, 2 and 4 are amended.

Claims 5 and 6 are new.

Listing of Claims:

1. (Currently Amended) An arrangement structure of a door open-close device to automatically open and close a vehicle door by means of a driving force comprising:

a roof member provided on a door-opening area for constituting a ceiling member of a vehicle body;

a side member provided on the door-opening area for constituting a side portion of [[a]] the vehicle body; and

a gazette member provided on the door-opening area for being attached to and is bridged between the roof member and the side member so as to extend over said roof member and said side member:

wherein said vehicle door open-close device is arranged in a space surrounded by said roof member, said side member, and said gazette member.

2. (Currently Amended) An arrangement structure of a vehicle door open-close device according to claim 1, wherein comprising;

said roof member including an outside roof member and an inside roof member;

App. No. 10/675819 Office Action Dated September 21, 2004 Amd. Dated January 21, 2005

said side member including an outside side member and an inside side member;

said gazette member being attached to is bridged between said inside roof member and said inside side member-so as to extend over-said roof member and said side member:

wherein said inside roof member and said inside side member are connected to a connecting part in which said outside roof member and said outside side member are connected thereto.

- 3. (Original) The arrangement structure of a vehicle door open-close device according to claim 2, wherein a roof reinforced member provided on said roof member and a side reinforced member provided on said side member are connected to said connecting part.
- (Currently Amended) The arrangement structure of a vehicle door open-close device according to claim 2, wherein

an attaching part of said inside side member is attached to an attaching reinforcement member is provided on said inside roof member or said inside side member in which said gazette member attached thereto, and said attaching reinforced reinforcement member is connected to said connecting part.

App. No. 10/675819 Office Action Dated September 21, 2004 Amd. Dated January 21, 2005

5. (New) The arrangement structure of a vehicle door open-close device according to claim
3, wherein

an attaching part of said inside side member is provided with an attaching reinforcement member, and said attaching reinforcement member is connected to said connection part.

6. (New) The arrangement structure of a vehicle door open-close device according to claim3, wherein

said roof reinforced member is positioned between said outside roof member and said inside roof member, and

said side reinforced member is positioned between said outside side member and said inside side member.